



Summary

Phoenix Point is a Turn Based Strategy game, very similar to XCOM: Enemy Unknown (which in turn is derived from X-COM UFO Defense). It was developed and published by Snapshot Games and got released for the following platforms:

- 1. macOS (3rd of December 2019),
- 2. Microsoft Windows (3rd of December 2019),
- 3. Stadia on (26th of January 2021),
- 4. Xbox One (3rd of December 2019) and
- 5. PlayStation (4th of October 2021).

It is a strict single-player game, featuring a single-player campaign but no instant-mission-like option. It is based on the Unity Engine.

Purchasing

The game is currently being distributed via Steam and Epic Store. The *Phoenix Point Demo* can be obtained via Steam. There are a number of DLCs available for it:

- Blood and Titanium DLC,
- Corrupted Horizons DLC,
- Digital Extras,
- Festering Skies DLC,
- Kaos Engines,
- Legacy of the Ancients DLC and
- Living Weapons Pack.

Some of them come packaged together along with the Year One Edition:

- Blood and Titanium,
- Digital Extras,
- Legacy of the Ancients and
- Living Weapons Pack.

The *Phoenix Point: Complete Edition-Upgrade* contains all of them.

Cheats

The game comes with a number of cheat codes having various effects. By default you cannot use them in-game. But you can turn them on by doing the following steps:

- Go to the Phoenix Point game folder (e.g. C:\Program Files (x86)\Steam\steamapps\common\Phoenix Point). Using the Steam function Browse local files may help with that (if you play it via Steam).
- 2. Create a new file named autoexec.cfg.
- 3. Open the file and place the line disable_console_access = false inside it and save it.

When you start the game now, you can activate the console with the ; key (resp. ö on German keyboard layouts), even from the main menu.

The following cheats were taken from

https://docs.google.com/document/d/1cyIZF4eCIKUIOIXdQS818o-QQdLaCxUjZaJhKDGDxGc/edit?pli=1 on 10th of December 2023

Interactive Commands

Code	Effect
add_facility_buff <i><bufftype></bufftype></i> <i><modtype> <amount></amount></modtype></i>	Give a facility buff to faction
land research hts <number></number>	Adds the amount of <i><number></number></i> research points (geoscape)
add_spec specialization name	Give specialization

Code	Effect
alien_expand_base	Expand alien base to max range
alien_promote_base	Promote alien base to a different type (geoscape)
alien_reveal_chance_stats	Displays stats for all alien bases and their reveal chances.
alien_reveal_phoenix	Reveals all phoenix bases to the aliens.
alien_spawn_base	Spawns Pandoran base next to cursor (geoscape).
all_bases	Unlocks all Phoenix Point bases
ambush_protection_get	Shows for how many explorations you are protected from getting ambushed during exploration.
ambush_protection_set <number></number>	Prevents ambushes for the next <i><number></number></i> explorations.
apply_status <i>status name</i>	Applies a status to the actor under the cursor with value and target slot
attack_phoenix	Schedule an attack on phoenix base.
bionic_dmg	Amount -Damage the bionic part of a soldier
blast	Creates an explosion at the current cursor location (battlescape)
break_all_bodyparts	Breaks every bone in the unit's body.
Build_instant <i>true/false</i>	Should(!) enable/disable instant build/manufacture/research
Build_instant	Should(!) enable instant build/manufacture/research
cls	Clears the console screen.
commands	Shows available commands
create_mission <i><missiontype></missiontype></i> <faction></faction>	Creates and assigns a mission to a geo site. See section Adding Missions on more details.
damage <i>amount</i>	Damages the unit under cursor or body part in any of his slots. See section Damage Dealing on more details.
damagepart	Damages the body part under cursor. See section Damage Dealing on more details.
diplomacy_get	Get diplomacy table of a faction or a site's leader.
diplomacy_get_haven	Get diplomacy table of a haven's leader.
<pre>diplomacy_set <faction name=""> <amount> <faction name=""></faction></amount></faction></pre>	Set diplomacy between two factions. See section Alter Diplomacy Value on more details.
diplomacy_set_haven	Set diplomacy between faction and a haven.
diplomacy_set_state	Set diplomacy state for Phoenix Point with other faction.
dlc	Shows in game enabled dlc
end_turn_current_faction	Ends turn for the currently active faction (battlescape)
endgame	End the tactical game, setting winning/losing factions. Positive factions will win, negative will lose.
fow 0	Disable fog of war
fow 1	Enable fog of war
game_difficulty	Set game difficulty

generate_naked_recruits Instantly generates Phoenix Point recruits geo_add_hunger amount Add hunger to all units geo_add_mist Add mist to current site geo_add_skill_reset Add sill reset Add sill reset Add sill reset geo_capture_alien <name> Add sa nalen of the given type <name> to containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and triton. geo_destory_all_havens The code is no type. It has to be entered just the way it is written down here. geo_set_ing_attack <factionname> Makes on faction attack the currently marked site. geo_overgrown Activate overgrown scavenging sites. geo_set_stamina Set stamina amount to all units. give_item id> Give an item to the unit under the cursor. give_item sitem name> Give all bionic items give_recurit <soldier> Give all mutation items give_recurit <soldier> Add solder (geoscape). See section Adding items on more details. give_soldier <soldier name=""> Add solder (geoscape). See section Adding give_soldier <soldier name=""> Add solder (geoscape). See section Adding geo_set_stamina Sub obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exacty li</soldier></soldier></soldier></soldier></factionname></name></name>	Code	Effect	
geo_add_mist Add mist to current site geo_add_repeller Add mist repeller to current site geo_add_skill_reset Add sill reset geo_capture_alien <name> Adds an alien of the given type <name> to containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scyll an and triton. geo_destory_all_havens The code is mo typo. It has to be entered just the way it is written down here. geo_event_list List all triggered events, inclusing completed ones. geo_set_hp Set hit point amount for all units. geo_set_stamina Set stamina amount to all units. give_item <id> Give an item to the unit under the cursor. give_item <ide name=""> Give an item to the unit under the cursor. give_item <ide name=""> Give all bionic items give_recurit <soldier> Give all mutation items give_recurit <soldier> Adds a number> Adds a number> give_soldier <soldier name=""> Add soldier (geoscape). See section Adding items on more details. give_sp <number> Adds <number> Adds <number> give_sp <number> Add soldier (geoscape). See section Adding geo_set_stamina Set sall resources to . give_soldier <soldier name=""> Add soldier (geoscape). See section Adding<td>generate_naked_recruits</td><td>Instantly generates Phoenix Point recruits</td></soldier></number></number></number></number></soldier></soldier></soldier></ide></ide></id></name></name>	generate_naked_recruits	Instantly generates Phoenix Point recruits	
geo_add_repeller Add mist repeller to current site geo_add_skill_reset Add skill reset Adds an alien of the given type <name> to containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and triton. geo_destory_all_havens Destroys all havens, making you lose the game. The code is no typo. It has to be entered just the way it is written down here. geo_event_list List all triggered events, inclusing completed ones. geo_set_hp Set hit point amount for all units. geo_set_stamina Set stamina amount to all units. give_sitem ride> Give all bionic items give_item name> Give all bionic items give_item name> Adds a recruit of type <soldier>. The values for <soldiers details.<="" more="" on="" td=""> give_recurit <soldier> Give all mutation items give_soldier <soldier name=""> Adds oldier geoscape). See section Adding litems on more details. give_soldier <soldier name=""> Adds oldier geoscape). See section Adding give_soldier <soldier name=""> Adds <number> give_soldier <soldier name=""> Adds coldier geoscape). See section Adding give_soldier <soldier name=""> Adds coldier geoscape). See section Adding give_soldier <soldier name=""> Adds coldier geoscape). See section Adding give_soldier <soldie< td=""><td>geo_add_hunger amount</td><td colspan="2"></td></soldie<></soldier></soldier></soldier></number></soldier></soldier></soldier></soldier></soldiers></soldier></name>	geo_add_hunger amount		
geo_add_skill_reset Add skill reset geo_capture_alien <name> Adds an alien of the given type <name> to containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and triton. geo_destory_all_havens Destroys all havens, making you lose the game. The code is no typo. It has to be entered just the way it is written down here. geo_event_list List all triggered events, inclusing completed ones. geo_set_hpp Set hit point amount for all units. geo_set_stamina Set stamina amount to all units. give_sitem_id> Give an item to the unit under the cursor. give_item <item name=""> Give all itopice tiems of the you can manufacture, excluding vehicles (geoscape). See section Adding Items on more details. give_mutations Give all mutation items give_soldier <soldier name=""> Adds canumber> experience points to the general experience pool. give_soldier <soldier name=""> Adds coumber> amount of regenerace pool. give_soldier <soldier name=""> Adds coumber> experience pool. give_soldier <</soldier></soldier></soldier></soldier></soldier></soldier></soldier></item></name></name>			
Adds an alien of the given type <name> to containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and triton.geo_destory_all_havensDestroys all havens, making you lose the game. The code is no typo. It has to be entered just the way it is written down here.geo_event_listList all triggered events, inclusing completed ones. geo_set_hpgeo_set_hpSet hit point amount for all units.geo_set_hpSet hit point amount for all units.give_item <item name="">Give an item to the unit under the cursor.give_item <item name="">Give an item to the unit under the cursor.give_item <item name="">Give all bionic itemsgive_item <item name="">Give all motation itemsgive_soldier <soldier>Give all mutation itemsgive_soldier <soldier< td="">Adds ander scular of the general exactly like that (typo of the game).give_soldier <soldier name="">Adds coldier (geoscape). See section Adding tems in the general exactly like that (typo of the game).give_soldier <soldier name="">Adds <number> amount of experience points to the general exactly like that (typo of the game).give_soldier <soldier name="">Adds <number> amount of experience points to the general exactly like that (typo of the game).give_soldier <soldier name="">Adds <number> amount of experience points to the general exactly like that (typo of the game).give_soldier <soldier name="">Adds <number> amount of experience points to the general exactly like that (typo of the game).give_soldier <soldier name="">Adds <number> amount of experience points to the general experience points to all soldiers (geoscape).</number></soldier></number></soldier></number></soldier></number></soldier></number></soldier></soldier></soldier<></soldier></item></item></item></item></name>	geo_add_repeller	Add mist repeller to current site	
geo_capture_alien <name>containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and triton.geo_destory_all_havensDestroys all havens, making you lose the game. The code is no typo. It has to be entered just the way it is written down here.geo_event_listList all triggered events, inclusing completed ones. geo_faction_attack <factionname>geo_set_staminaSet hit point amount for all units.geo_set_staminaSet stamina amount to all units.give_item_id>Give an item to the unit under the cursor.give_bionicsGive all bionic itemsgive_item <item name="">Give all mutation itemsgive_soldier <soldier>Soldier>Adds a recruit of type <soldier>. The values for <soldier>give_soldier <soldier name="">Adds a recruit of type <soldier>. The values for <soldier <soldier="" name="">give_soldier <soldier name="">Adds and soldier (geoscape). See section Adding Soldiers on more details.give_soldier <soldier name="">Adds coldier (geoscape). See section Adding Soldiers on more details.give_soldier <soldier name="">Adds coldier (geoscape). See section Adding Soldiers on more details.god_mode falseTurns god mode off.god_mode falseTurns god mode off.god_mode falseTurns god mode off.god_mode falseLaunch an ancient site probe at cursor location.loseLaunch an ancient site probe at cursor location.loseLaunch an ancient site probe at cursor location.loseLaunch an ancient site probe at cursor location.give_sol_if alseLaunch an ancient si</soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></item></factionname></name>	<pre>geo_add_skill_reset</pre>	· · ·	
geo_destory_all_havensThe code is no typo. It has to be entered just the way it is written down here. geo_event_listgeo_event_listList all triggered events, inclusing completed ones.geo_faction_attack <factionname>Makes on faction attack the currently marked site.geo_overgrownActivate overgrown scavenging sites.geo_est_hpSet hit point amount for all units.geo_set_staminaSet stamina amount to all units.give_item_id>Give ani tem to the unit under the cursor.give_item <item name="">Give all bionic itemsgive_item <item name="">Give all bionic itemsgive_mutationsGive all mutation itemsgive_recurit <soldier>Give all mutation itemsgive_soldier <soldier>Adds a recruit of type <soldier>. The values for <soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Adds <number> amount of experience points to the general experience pool. See section Adding soldiers on more details.give_sp <number>Adds <number> experience pool.god_mode falseTurns god mode off.god_mode falseTurns god mode off.god_mode trueLases the current sits or botal soldiers.heal <value>Sets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).maximum value for a soldier.Set section Adding Skills on more details.give_soldier <soldier name="">Adds <number> experience pool.</number></soldier></value></number></number></number></soldier></soldier></soldier></soldier></soldier></item></item></factionname>	geo_capture_alien <i><name< i="">></name<></i>	containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and	
geo_faction_attack <factionname>Makes on faction attack the currently marked site.geo_overgrownActivate overgrown scavenging sites.geo_set_hpSet hit point amount for all units.geo_set_staminaSet stamina amount to all units.give_item_id>Give an item to the unit under the cursor.give_item areaGive all bionic itemsgive_item areaGive all bionic itemsgive_item areaGive all bionic itemsgive_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values for <soldier a="" and="" bother="" has="" here.="" is="" it="" not="" to<br="" typo=""></soldier>entered exactly like that (typo of the game).give_soldier <soldier name="">Adds a recruit of type <soldier>. The values for <soldiers details.<="" more="" on="" td="">give_soldier <soldier name="">Adds canumber> soldiers on more details.give_soldier <soldier name="">Adds canumber> experience points to the general experience pool.give_sp <number>Adds <number> (geoscape).god_mode falseTurns god mode off.god_mode trueTurs god mode off.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLose the current mission (battelscape).master_specialization <specialization< td="">Set all abilities of its class to a unit. See section Adding Skills on more details.master_specialization amount>Set haven's population set haven's population set haven's population<tr< td=""><td>geo_destory_all_havens</td><td>The code is no typo. It has to be entered just the way it is written down here.</td></tr<></specialization<></value></value></number></number></soldier></soldier></soldiers></soldier></soldier></soldier></soldier></factionname>	geo_destory_all_havens	The code is no typo. It has to be entered just the way it is written down here.	
geo_overgrownActivate overgrown scavenging sites.geo_set_hpSet hit point amount for all units.geo_set_staminaSet stamina amount to all units.give <item_id>Give an item to the unit under the cursor.give_bionicsGive all bionic itemsgive_item <item name="">Give items with given item's name. Item all givesgive_item <item name="">Give all mutation itemsgive_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values for<soldier> can be obtained by entering helpspawn. Note: recurit is not a typo here. It has togive_spldier <soldier name="">give_spldier <soldier name="">Adds soldier (geoscape). See section Addingsoldier son more details.give_sp <number>give_sp <number>god_mode falsegod_mode fulcegod_mode trueheal <value>Hide_me_the_moneySets all resources to 0.launch_probelaunch_probeloseLoses the current mission (battelscape).master_specialization <specialization< td="">name>Adding Skills on more details.master_specialization specialization name>Set hand canount>Set name>Set hand canount>Set haven's population px_base_infestation amountSet haven's population px_base_infestation amountSet infestation for a single phoenix base.</specialization<></value></number></number></soldier></soldier></soldier></soldier></soldier></item></item></item_id>	geo_event_list		
geo_set_hpSet hit point amount for all units.geo_set_staminaSet stamina amount to all units.give_sitem_id>Give an item to the unit under the cursor.give_bionicsGive all bionic itemsgive_item <item name="">Give items with given item's name. Item all givesgive_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values forgive_soldier <soldier name="">Adds a recruit of type <soldier>. The values forgive_soldier <soldier name="">Adds a recruit of type <soldier>. The values forgive_soldier <soldier name="">Adds coldier court is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Add soldier (goscape). See section Adding Soldiers on more details.give_sp <number>Add soldier (goscape). See section Adding Soldiers on more details.give_sp <number>Adds coumber> amount of experience points to the general experience pool.give_tar <</number></number></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></item>	<pre>geo_faction_attack <factionname></factionname></pre>	Makes on faction attack the currently marked site.	
geo_set_staminaSet stamina amount to all units.give <item_id>Give an item to the unit under the cursor.give_bionicsGive all bionic itemsgive_item <item name="">Give items with given item's name. Item all givesgive_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values forgive_soldier <soldier name="">Soldier> can be obtained by entering helpgive_soldier <soldier name="">Adds arecruit of type <soldier>. The values for<soldier <soldier="" name="">Adds arecruit of type <soldier>. The values for<soldier <soldier="" name="">Adds arecruit of type <soldier>. The values for<soldier <soldier="" name="">Adds arecruit of type <soldier>. The values for<soldier <soldier="" name="">Adds arecruit of type <soldier>. The values for<soldier details.<="" more="" son="" td="">give_soldier <soldier name="">give_soldier <soldier name="">Adds anumber> amount of experience point.give_sp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> experience pool.god_mode falseTurns god mode off.god_mode trueTurns god mode off.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.master_specialization amount>Set haven's population powins base.population_set <</specialization<></number></number></number></number></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></soldier></item></item_id>	geo_overgrown	Activate overgrown scavenging sites.	
give <item_id>Give an item to the unit under the cursor.give_bionicsGive all bionic itemsgive_item <item name="">Give items with given item's name. Item all gives 1 of every item you can manufacture, excluding vehicles (geoscape). See section Adding Items on more details.give_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values for <soldier be="" by="" can="" entering="" help<br="" obtained=""></soldier>spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Add soldier (geoscape). See section Adding Soldiers on more details.give_xp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> experience pool.god_mode falseTurns god mode off. god mode off.god_mode trueTurns god mode off.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location. Loses the current mission (battelscape).name>Add mist expansion time (hours) population_set <population amount="">population_set <population amount="">Set haven's population pose.set infestation amount>Set infestation for a single phoenix base.</population></population></value></value></number></number></number></number></number></soldier></soldier></soldier></item></item_id>			
give_bionicsGive all bionic itemsgive_item <item name="">Give items with given item's name. Item all gives 1 of every item you can manufacture, excluding vehicles (geoscape). See section Adding Items on more details.give_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values for <soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Add soldier (geoscape). See section Adding Soldiers on more details.give_xp <number>Adds <number> amount of experience points to the general experience pool.god_mode falseTurns god mode off. god_mode trueHide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location. Loses the current mission (battelscape).loseLoses the current mission (battelscape).mater_specialization <specialization </specialization rame>Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add sexpansion time (hours) population_set <population amount="">px_base_infestation amount>Set infestation for a single phoenix base.</population></amount></number></number></number></number></soldier></soldier></soldier></soldier></item>	geo_set_stamina	Set stamina amount to all units.	
Give items with given item's name. Item all gives 1 of every item you can manufacture, excluding vehicles (geoscape). See section Adding Items on more details.give_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values for <soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Adds clotier (geoscape). See section Adding Soldiers on more details.give_sp <number>Adds clotier (geoscape). See section Adding Soldiers on more details.give_sp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> experience points to all soldiers (geoscape).god_mode falseTurns god mode off. maximum value for a soldier.give_triangSets all resources to 0.launch_probeLaunch an ancient site probe at cursor location. Loses the current mission (battelscape).loseLoses the current mission (battelscape).mater_specialization <specialization </specialization population_set <population amount="">population_set <population amount="">Set infestation for a single phoenix base.</population></population></number></number></number></number></number></soldier></soldier></soldier></soldier>	give <item_id></item_id>	Give an item to the unit under the cursor.	
give_item <item name="">1 of every item you can manufacture, excluding vehicles (geoscape). See section Adding Items on more details.give_mutationsGive all mutation itemsgive_recurit <soldier>Adds a recruit of type <soldier>. The values for <soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> experience pool.god_mode falseTurns god mode off.god_mode trueTurns god mode on.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See sectionmist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set infestation for a single phoenix base.</population></amount></specialization<></value></value></number></number></number></number></soldier></soldier></soldier></soldier></item>	give_bionics	Give all bionic items	
SolutionAdds a recruit of type <soldier>. The values for <soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> amount of experience points to all soldiers (geoscape).god_mode falseTurns god mode off.god_mode trueTurns god mode on.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization </specialization Add mist expansion time (hours)population_set <population amount="">Set haven's population Set infestation for a single phoenix base.</population></value></value></number></number></number></number></soldier></soldier></soldier>	give_item <i><item i="" name<="">></item></i>	1 of every item you can manufacture, excluding vehicles (geoscape). See section Adding Items on	
give_recurit <soldier><soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).give_soldier <soldier name="">Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> experience pool.god_mode falseTurns god mode off.god_mode trueTurns god mode on.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization </specialization Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's population for a single phoenix base.</population></amount></value></value></number></number></number></number></soldier></soldier></soldier>	give_mutations		
give_soldier <soldier name="">Add soldier (geoscape). See section Adding Soldiers on more details.give_sp <number>Adds <number> amount of experience points to the general experience pool.give_xp <number>Adds <number> experience pool.god_mode falseTurns god mode off.god_mode trueTurns god mode on.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set infestation for a single phoenix base.</population></amount></specialization<></value></value></number></number></number></number></soldier>	give_recurit <i><soldier></soldier></i>	<pre><soldier> can be obtained by entering help spawn. Note: recurit is not a typo here. It has to</soldier></pre>	
give_sp the general experience pool.give_xp Adds god_mode falseTurns god mode off.god_mode trueTurns god mode on.heal Adds heal Adds value>Adds Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization Teach all abilities of its class to a unit. See sectionmist_expand Add mist expansion time (hours)population_set Set infestationpx_base_infestation Set infestationamount>Set infestation for a single phoenix base.	give_soldier <i><soldier name=""></soldier></i>	Add soldier (geoscape). See section Adding	
give_xp (geoscape).god_mode falseTurns god mode off.god_mode trueTurns god mode on.heal Adds heal Adds heal Sets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set infestation for a single phoenix base.</population></amount>	give_sp <i><number></number></i>	the general experience pool.	
god_mode trueTurns god mode on.heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's population Set infestation for a single phoenix base.</population></amount></specialization<></value></value>	give_xp <i><number></number></i>	(geoscape).	
heal <value>Adds <value> hit points. Cannot exceed the maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's population Set infestation for a single phoenix base.</population></amount></specialization<></value></value>	god_mode false	Turns god mode off.	
Iteat <values< th="">maximum value for a soldier.Hide_me_the_moneySets all resources to 0.launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's populationpx_base_infestation amount>Set infestation for a single phoenix base.</population></amount></specialization<></values<>	god_mode true	Turns god mode on.	
Launch_probeLaunch an ancient site probe at cursor location.loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's populationpx_base_infestation amount>Set infestation for a single phoenix base.</population></amount></specialization<>	heal <value></value>		
loseLoses the current mission (battelscape).master_specialization <specialization< td="">Teach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's populationpx_base_infestation <base infestation<br=""/>amount>Set infestation for a single phoenix base.</population></amount></specialization<>	Hide_me_the_money	Sets all resources to 0.	
master_specializationSpecializationTeach all abilities of its class to a unit. See section Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's populationpx_base_infestation <base infestation<br=""/>amount>Set infestation for a single phoenix base.</population></amount>	launch_probe	Launch an ancient site probe at cursor location.	
name>Adding Skills on more details.mist_expand <amount>Add mist expansion time (hours)population_set <population amount="">Set haven's populationpx_base_infestation <base infestation<br=""/>amount>Set infestation for a single phoenix base.</population></amount>	lose	Loses the current mission (battelscape).	
population_set <population amount="">Set haven's populationpx_base_infestation <base infestation<br=""/>amount>Set infestation for a single phoenix base.</population>			
<pre>px_base_infestation <base amount="" infestation=""/> Set infestation for a single phoenix base.</pre>	<pre>mist_expand <amount></amount></pre>	Add mist expansion time (hours)	
amount> Set intestation for a single phoenix base.	<pre>population_set <population amount=""></population></pre>	Set haven's population	
px_base_protection <amount> Set base's counter of protection from assaults.</amount>		Set infestation for a single phoenix base.	
	<pre>px_base_protection <amount></amount></pre>	Set base's counter of protection from assaults.	

Code	Effect
recruit_naked_px	Recruit one naked Phoenix Point recruit.
remove	Removes unit under cursor (kills him and hides the body).
repair_bases	Repairs all Phoenix Point bases' facilities.
research_complete_all	Completes all researches for faction.
research complete <faction name=""> <research name=""></research></faction>	Completes research of a specific research item. See section Complete Research on more details.
<pre>research_remove <research name=""></research></pre>	Removes research
<pre>research_unlock_all <faction name=""></faction></pre>	Unlocks all research items for the current faction.
reveal_sites_all	Reveal all sites, even unrevealable.
set_ap <i><value></value></i>	Adds < <i>value</i> > action points to the unit under the cursor. Cannot exceed the maximum value for a soldier.
<pre>set_charges <number></number></pre>	Sets the ammo of the currently used weapon to < <i>number></i> .
<pre>set_faction <faction name=""></faction></pre>	Sets the faction of the unit under cursor
set_infinite_ap	Sets action point cost for movement of vehicles to zero. May crash the game when used on soldiers.
set_stat < <i>statName</i> > <amount></amount>	Sets stats points of the unit under the cursor
set_wp <i><value></value></i>	Adds <value> will points. Cannot exceed the maximum value for a soldier.</value>
Show_me_the_money	Adds 10'000 units of all resources.
site_destroy	Set site to be destroyed.
spawn < <i>soldier name</i> >	Spawn a unit of the given type in the location under the cursor (battlescape). See section Adding Soldiers on more details.
spawn_aircraft < <i>spawn id</i> >	Creates new aircraft (geoscape). See section Spawn in Aircraft on more details.
spawn_recruit <i><spawn id=""></spawn></i> [<class type>]</class 	Spawn recruit to haven. Parameter <i>class type</i> is optional, e. g. PX_Assault, NJ_Armadillo, etc.
subfaction_list	List all active subfactions
<pre>subfaction_set_mission_threat <faction name=""> <threat level=""></threat></faction></pre>	Set subfaction's mission threat level
super_soldiers	Turns all soldiers into their maxed out versions, including all special abilities.
teach <i><ability name=""></ability></i>	Teach an ability to the actor under the cursor. See section Adding Skills on more details.
toggle_alien_base	Toggles displaying range of active alien bases.
<pre>toggle_anvil_cheats</pre>	Activates a cheat menu.
toggle_god_mode	Turns god mode on or off. Note : This does affect all units (not just your own). Units will not get any conventional damage, but body parts can still be disabled, or effects be cast (e.g. bleeding). Only the receiving of actual damage (hit points getting decreased) will not happen any more.
ТР	Teleport soldier
TPV	Teleport Vehicle
unapply_status <i><status name=""></status></i>	Removes a status to the unit under the cursor.

Code	Effect
unlock_all_stuff	Unlock all locked things for a faction.
unlock_all_stuff_suppress	Unlock all locked things for a faction without throwing events.
vars	Shows available variables
vehicle_destroy	Destroy vehicles from site or under cursor
visit_all_px_bases	Visit all phoenix bases
Win	Wins the mission.

Adding Items

There is quite a number of game elements, that can be added by issuing the command give_item <item name>. The item names can be found in the Item Names article.

Damage Dealing

Code	Effect
Damage <x></x>	Deal <x> Damage</x>
Damage <bodypart> <x></x></bodypart>	Deal <x> Damage to the given <body part="">.</body></x>

Body parts:

- Head,
- Torso,
- Lefthand,
- Righthand,
- Legs,
- Arms,
- Leftarm and
- Rightarm.

Spawn in Aircraft

It is possible to add new craft to the players arsenal, by issuing the command spawn_aircraft <craft name>. The craft name can be taken from this list:

Code	Aircraft
AN	Tiamat?
NJ_Thunderbird	Thunderbird
РХ	Manticore
SYN_Helios	Helios

If the command is issued without any craft name, a Manticore will be added.

Alter Diplomacy Value

The way how a specific faction regards another one can be set directly with the following command:

diplomacy_set <faction regarding> <faction regarded> <value>

The factions used for *<faction regarding>* and *<faction regarded>* are:

- Anu: Deciples of Anu
- Anu_faction: Deciples of Anu (also)
- phoenix: Phoenix Point
- synedrion: Synedrion
- NewJericho: New Jericho

Note: This has no effect on the magic steps that you have to take, in order to progress your relations further. You still have to go on missions to progress your relations with a faction to the next stage.

Adding Missions

When hovering the mouse pointer over a location spot on the geoscape, it is possible to add/re-use missions. Scavanging missions can be re-used, as well as Pandroan attacks can be cast on a haven. The command for this is:

create_mission <missiontype> <faction>

<missiontype> is the kind of mission to be created:

- base: One of Phoenix Point's bases will be attacked.
- scavenging: A scavenging site gets re-activated.
- ambush: One of Phoenix Point's craft gets ambushed.
- haven: A haven is attacked.

<faction> is optional and defines, which faction is leading the assault on, resp. defending against an attack by Phoenix Point:

- Alien: Pandorans
- Anu: Diciples of Anu
- NewJericho: New Jericho
- Synedrion: Synedrion

Example: create_mission haven alien creates a Haven mission, defending against Pandorans.

Adding Soldiers

It is possible to add units during geoscape as well as battlescape. give_soldier <unit name> adds a soldier to your team on geoscape. spawn <unit name> adds a new unit of <unit name> on the battlescape. Both give a very specific unit. Some are even special units as they are representing a specific character of the game's story. A list of these units can be found in article Soldier Names.

Note: Adding a unit to a faction, that you are currently fighting effectively adds another opposing unit.

Adding Skills

In order to **temporarily** add a specific skill/ability to a unit **while in battlescape**, hover over that unit with your mouse and use teach $\langle X \rangle$. $\langle X \rangle$ can be taken from the list in article Skills. After the mission the skill will vanish.

There is also a faster approach to the task: master_specialization <*class*> gives every ability of that class. <*class*> can be taken from one of the following values:

- assault,
- ber,
- heavy,
- inf,
- priest,
- sniper and
- tech.

Complete Research

Research items can be completed instantly, when using the command research complete <faction name> <research>.

Example: research complete px siren

Phoenix Point Research Items

The following items can be researched for faction px (Phoenix):

Item	Research Item
arch	Tiamat Development
atmo	Atmospheric Analysis
centralizedai	Centralized AI (all base Facilities output is increased by 50%)
commandfortress	Command Fortress (Soldier recruitment cost is decreased by 50%)
food	Fungal Food Production
harv	Mutagen Harvesting
heal	Medical Nanites (Medical Bay facility healing at bases increased by 50% and $+20$ healing bonus in battle)
livesiren	Siren Vivisection (damage increase against sirens by 10%)
missionary	Missionary Center Technology (Recruitment costs are reduced by 25%)
moon	Moon Mission Preparation (aircraft speed increased by 25%)
physiology	Pandoran Physiology (Pandoran related research speed increased by 25%)
projectvulture	Project Vulture (+3 strength to all soldiers even if maxed)
recr	Haven Recruitment Protocols
sentientai	Sentient Als (Research point output is increased by 25%)
siren	Siren Autopsy
tele	Pandoran Telepathic Nodule

Item	Research Item
trad	Haven Trade Protocols
training	New Jericho Combat Training (Training facility efficiency improved by 50%)
uplink	Satellite Uplink Research (Scanning range of Phoenix Bases is increased by 25%)

Unknown Faction Research Items

energy (Energy production is increased by 50%)

Web Links

- Phoenix Point Discord server
- Official Phoenix Point Wiki

Back to the games database

From: https://www.mobile-infanterie.de/wiki/ - mwohlauer.d-n-s.name / www.mobile-infanterie.de

Permanent link: https://www.mobile-infanterie.de/wiki/doku.php?id=en:games:phoenix_point

Last update: 2023-12-24-16-12

