2025-07-06-16-16 1/10 Phoenix Point

# **Phoenix Point**



## **Summary**

Phoenix Point is a Turn Based Strategy game, very similar to XCOM: Enemy Unknown (which in turn is derived from X-COM UFO Defense). It was developed and published by Snapshot Games and got released for the following platforms:

- 1. macOS (3rd of December 2019),
- 2. Microsoft Windows (3rd of December 2019),
- 3. Stadia on (26th of January 2021),
- 4. Xbox One (3rd of December 2019) and
- 5. PlayStation (4th of October 2021).

It is a strict single-player game, featuring a single-player campaign but no instant-mission-like option. It is based on the Unity Engine.

## **Purchasing**

The game is currently being distributed via Steam and Epic Store. The *Phoenix Point Demo* can be obtained via Steam. There are a number of DLCs available for it:

- Blood and Titanium DLC,
- · Corrupted Horizons DLC,
- Digital Extras,
- Festering Skies DLC,
- · Kaos Engines,
- · Legacy of the Ancients DLC and
- Living Weapons Pack.

Some of them come packaged together along with the Year One Edition:

- Blood and Titanium,
- Digital Extras,
- Legacy of the Ancients and
- Living Weapons Pack.

The Phoenix Point: Complete Edition-Upgrade contains all of them.

### **Cheats**

The game comes with a number of cheat codes having various effects. By default you cannot use them in-game. But you can turn them on by doing the following steps:

- 1. Go to the *Phoenix Point* game folder (e.g. *C:\Program Files* (x86)\Steam\steamapps\common\Phoenix Point). Using the Steam function *Browse local files* may help with that (if you play it via Steam).
- 2. Create a new file named autoexec.cfg.
- 3. Open the file and place the line disable console access = false inside it and save it.

When you start the game now, you can activate the console with the ; key (resp. ö on German keyboard layouts), even from the main menu.

The following cheats were taken from https://docs.google.com/document/d/1cylZF4eCIKUIOIXdQS818o-QQdLaCxUjZaJhKDGDxGc/edit?pli=1 on 10th of December 2023

#### **Interactive Commands**

Code	Effect
<pre>add_facility_buff <bufftype> <modtype> <amount></amount></modtype></bufftype></pre>	Give a facility buff to faction
add_research_pts <number></number>	Adds the amount of < <i>number</i> > research points (geoscape)
add_spec <i>specialization name</i>	Give specialization

2025-07-06-16-16 3/10 Phoenix Point

Code	Effect	
alien expand base	Expand alien base to max range	
alien_promote_base	Promote alien base to a different type (geoscape)	
alien_reveal_chance_stats	Displays stats for all alien bases and their reveal chances.	
alien_reveal_phoenix	Reveals all phoenix bases to the aliens.	
alien_spawn_base	Spawns Pandoran base next to cursor (geoscape).	
all_bases	Unlocks all Phoenix Point bases	
ambush_protection_get	Shows for how many explorations you are protected from getting ambushed during exploration.	
ambush_protection_set <number></number>	Prevents ambushes for the next < number > explorations.	
apply_status status name	Applies a status to the actor under the cursor with value and target slot	
attack_phoenix	Schedule an attack on phoenix base.	
bionic_dmg	Amount -Damage the bionic part of a soldier	
blast	Creates an explosion at the current cursor location (battlescape)	
break_all_bodyparts	Breaks every bone in the unit's body.	
Build_instant true/false	Should(!) enable/disable instant build/manufacture/research	
Build_instant	Should(!) enable instant build/manufacture/research	
cls	Clears the console screen.	
commands	Shows available commands	
create_mission	Creates and assigns a mission to a geo site	
damage amount	Damages the unit under cursor or body part in any of his slots.	
damagepart	Damages the body part under cursor.	
diplomacy_get	Get diplomacy table of a faction or a site's leader.	
diplomacy_get_haven	Get diplomacy table of a haven's leader.	
<pre>diplomacy_set <faction name=""> <amount> <faction name=""></faction></amount></faction></pre>	Set diplomacy between two factions	
diplomacy_set_haven	Set diplomacy between faction and a haven.	
diplomacy_set_state	Set diplomacy state for Phoenix Point with other faction.	
dlc	Shows in game enabled dlc	
end_turn_current_faction	Ends turn for the currently active faction (battlescape)	
endgame	End the tactical game, setting winning/losing factions. Positive factions will win, negative will lose.	
fow 0	Disable fog of war	
fow 1	Enable fog of war	
game_difficulty	Set game difficulty	
<pre>generate_naked_recruits</pre>	Instantly generates Phoenix Point recruits	
geo_add_hunger amount	Add hunger to all units	
geo_add_mist	Add mist to current site	

Code	Effect	
geo_add_repeller	Add mist repeller to current site	
geo_add_skill_reset	Add skill reset	
geo_capture_alien <name></name>	Adds an alien of the given type <name> to containment, e.g. geo_capture_alien siren (geoscape). Other possible values are scylla and triton.</name>	
geo_destory_all_havens	Destroys all havens, making you lose the game. The code is <b>no</b> typo. It has to be entered just the way it is written down here.	
geo_event_list	List all triggered events, inclusing completed ones.	
<pre>geo_faction_attack <factionname></factionname></pre>	Makes on faction attack the currently marked site.	
geo_overgrown	Activate overgrown scavenging sites.	
geo_set_hp	Set hit point amount for all units.	
geo_set_stamina	Set stamina amount to all units.	
give <item_id></item_id>	Give an item to the unit under the cursor.	
give_bionics	Give all bionic items	
give_item <item name=""></item>	Give items with given item's name. Item all gives 1 of every item you can manufacture, excluding vehicles (geoscape). See section Adding Items on more details.	
give_mutations	Give all mutation items	
give_recurit < <i>soldier</i> >	Adds a recruit of type < soldier >. The values for < soldier > can be obtained by entering help spawn. Note: recurit is not a typo here. It has to entered exactly like that (typo of the game).	
give_soldier <soldier name=""></soldier>	Add soldier to current selected actor that can have soldiers. See section Adding Soldiers on more details.	
give_sp <number></number>	Adds < number > amount of experience points to the general experience pool.	
give_xp <number></number>	Adds < number > experience points to all soldiers (geoscape).	
god_mode false	Turns god mode off.	
god_mode true	Turns god mode on.	
heal <value></value>	Adds < value > hit points. Cannot exceed the maximum value for a soldier.	
Hide_me_the_money	Sets all resources to 0.	
launch_probe	Launch an ancient site probe at cursor location.	
lose	Loses the current mission (battelscape).	
<pre>master_specialization <specialization name=""></specialization></pre>	Teach all abilities of its class to a unit. See section Adding Skills on more details.	
mist_expand <amount></amount>	Add mist expansion time (hours)	
population_set <pre><pre><pre>population amount&gt;</pre></pre></pre>	Set haven's population	
<pre>px_base_infestation <base amount="" infestation=""/></pre>	Set infestation for a single phoenix base.	
<pre>px_base_protection <amount></amount></pre>	Set base's counter of protection from assaults.	
recruit_naked_px	Recruit one naked Phoenix Point recruit.	

2025-07-06-16-16 5/10 Phoenix Point

Code	Effect	
remove	Removes unit under cursor (kills him and hides the body).	
repair_bases	Repairs all Phoenix Point bases' facilities.	
research_complete_all	Completes all researches for faction.	
research complete < <i>research name</i> > < <i>faction name</i> >	Completes research of a specific research item	
research_remove < research name >	Removes research	
research_unlock_all <faction name=""></faction>	Unlocks all research items for the current faction.	
reveal_sites_all	Reveal all sites, even unrevealable.	
set_ap < <i>value</i> >	Adds < <i>value</i> > action points to the unit under the cursor. Cannot exceed the maximum value for a soldier.	
set_charges <number></number>	Sets the ammo of the currently used weapon to <number>.</number>	
<pre>set_faction <faction name=""></faction></pre>	Sets the faction of the unit under cursor	
set_infinite_ap	Sets infinite action points for vehicles. May crash the game when used on soldiers.	
set_stat <statname> <amount></amount></statname>	Sets stats points of the unit under the cursor	
set_wp < <i>value</i> >	Adds < <i>value</i> > will points. Cannot exceed the maximum value for a soldier.	
Show_me_the_money	Adds 10'000 units of all resources.	
site_destroy	Set site to be destroyed.	
spawn < <i>spawn id</i> >	Spawn a unit under the cursor.	
spawn_aircraft < <i>spawn id</i> >	Creates new aircraft (geoscape)	
<pre>spawn_recruit <spawn id=""> [<class type="">]</class></spawn></pre>	Spawn recruit to haven. Parameter <i>class type</i> is optional, e. g. PX_Assault, NJ_Armadillo, etc.	
subfaction_list	List all active subfactions	
<pre>subfaction_set_mission_threat <faction name=""> <threat level=""></threat></faction></pre>	Set subfaction's mission threat level	
super_soldiers	Turns all soldiers into their maxed out versions, including all special abilities.	
teach <ability name=""></ability>	Teach an ability to the actor under the cursor. See section Adding Skills on more details.	
toggle_alien_base	Toggles displaying range of active alien bases.	
toggle_anvil_cheats	Activates a cheat menu.	
toggle_god_mode	Turns god mode on or off. <b>Note</b> : This does affect <b>all</b> units (not just your own). Units will not get any conventional damage, but body parts can still be disabled, or effects be cast (e.g. bleeding). Only the receiving of actual damage (hit points getting decreased) will not happen any more.	
TP	Teleport soldier	
TPV	Teleport Vehicle	
unapply_status <status name=""></status>	Removes a status to the unit under the cursor.	
unlock_all_stuff	Unlock all locked things for a faction.	
unlock_all_stuff_suppress	Unlock all locked things for a faction without throwing events.	
vars	Shows available variables	

Code	Effect
vehicle_destroy	Destroy vehicles from site or under cursor
visit_all_px_bases	Visit all phoenix bases
Win	Wins the mission.

### **Adding Items**

There is quite a number of game elements, that can be added by issuing the command give\_item <item name>. The item names can be found in the Item Names article.

### **Damage Dealing**

Code	Effect
Damage <x></x>	Deal <x> Damage</x>
Damage <bodypart> <x></x></bodypart>	Deal $\langle X \rangle$ Damage to the given $\langle body part \rangle$ .

#### Body parts:

- Head,
- Torso,
- · Lefthand,
- Righthand,
- Legs,
- Arms,
- Leftarm and
- Rightarm.

## **Spawn in Aircraft**

Code	Aircraft
spawn_aircraft NJ_Thunderbird	Thunderbird
spawn_aircraft SYN_Helios	Helios
spawn_aircraft AN vars	Tiamat?
spawn_aircraft	Manticore

## **Alter Diplomacy Value**

The way how a specific faction regards another one can be set directly with the following command:

diplomacy\_set <faction regarding> <faction regarded> <value>

The factions used for <faction regarding> and <faction regarded> are:

• Anu: Deciples of Anu

• Anu\_faction: Deciples of Anu (also)

phoenix: Phoenix Pointsynedrion: SynedrionNewJericho: New Jericho

2025-07-06-16-16 7/10 Phoenix Point

**Note**: This has no effect on the magic steps that you have to take, in order to progress your relations further. You still have to go on missions to progress your relations with a faction to the next stage.

### **Adding Missions**

When hovering the mouse pointer over a location spot on the geoscape, it is possible to add/re-use missions. Scavanging missions can be re-used, as well as Pandroan attacks can be cast on a haven. The command for this is:

create mission <missiontype> <faction>

<missiontype> is the kind of mission to be created:

- base: One of Phoenix Point's bases will be attacked.
- scavenging: A scavenging site gets re-activated.
- ambush: One of Phoenix Point's craft gets ambushed.
- haven: A haven is attacked.

<faction> is optional and defines, which faction is leading the assault on, resp. defending against an attack by Phoenix Point:

Alien: PandoransAnu: Diciples of Anu

NewJericho: New JerichoSynedrion: Synedrion

Example: create mission haven alien creates a Haven mission, defending against Pandorans.

### **Adding Soldiers**

It is possible to add units during geoscape as well as battlescape. give\_soldier <unit name> adds a soldier to your team on geoscape. spawn <unit type> adds a new unit of <unit type> on the battlescape.

#### **Adding a Specific Soldier**

The give\_soldier <unit name> command gives a very specific unit. Some are even special units as they are representing a specific character or the game's story. A list of these units can be found in article Soldier Names.

#### **Adding a Soldier Type**

The *<unit type>* is a combination of faction and class, e.g. NJ\_Heavy means a New Jericho Heavy. The factions are abbreviated like this:

Abbreviation	Faction
aln	Pandorans
anu / env	Disciples of Anu
nj	New Jericho
рр	Phoenix Point (effectively adds a new unit to your own team)
syn	Synedrion
wild	Independents

The unit class can create interesting effects, when the faction actually does not have that kind of class. The used ones are:

Abbreviation	Class
Assault	Assault
Berserker	Berserker
Heavy	Heavy (for Disciples of Anu, a fully mutated Assault class is spawned/berserker with all lvl 1 mutations)
Priest	Priest (with frenzy head mutation)
watcher	Berserker with all 3 level 2 mutations
shooter	Berserker with every level 3 mutation
Sniper	Sniper
Technician	Technician
jugg	Heavy with every level 1 augmentation
exosuit	Technician with all level 2 augmentations
shinobi	Infiltrator with every Ivl 3 augmentation
godly	Heavy with 3'000 hit points and 300 strength
Infiltrator	Infiltrator

**Note**: Adding a unit to a faction, that you are currently fighting effectively adds another opposing unit.

### **Adding Skills**

In order to **temporarily** add a specific skill/ability to a unit **while in battlescape**, hover over that unit with your mouse and use teach <*X*>. <*X*> can be taken from the list in article Skills. After the mission the skill will vanish.

There is also a faster approach to the task: master\_specialization <class> gives every ability of that class. <class> can be taken from one of the following values:

- assault,
- ber.
- heavy,
- inf,
- priest,
- sniper and
- tech.

2025-07-06-16-16 9/10 Phoenix Point

### **Complete Research**

Research items can be completed instantly, when using the command research complete <faction name> <research>.

Example: research complete px siren

#### **Phoenix Point Research Items**

The following items can be researched for faction px (Phoenix):

Item	<research></research>
arch	Tiamat Development
atmo	Atmospheric Analysis
centralizedai	Centralized AI (all base Facilities output is increased by 50%)
commandfortress	Command Fortress (Soldier recruitment cost is decreased by 50%)
food	Fungal Food Production
harv	Mutagen Harvesting
heal	Medical Nanites (Medical Bay facility healing at bases increased by 50% and +20 healing bonus in battle)
livesiren	Siren Vivisection (damage increase against sirens by 10%)
missionary	Missionary Center Technology (Recruitment costs are reduced by 25%)
moon	Moon Mission Preparation (aircraft speed increased by 25%)
physiology	Pandoran Physiology (Pandoran related research speed increased by 25%)
projectvulture	Project Vulture (+3 strength to all soldiers even if maxed)
recr	Haven Recruitment Protocols
sentientai	Sentient Als (Research point output is increased by 25%)
siren	Siren Autopsy
tele	Pandoran Telepathic Nodule
trad	Haven Trade Protocols
training	New Jericho Combat Training (Training facility efficiency improved by 50%)
uplink	Satellite Uplink Research (Scanning range of Phoenix Bases is increased by 25%)

#### **Unknown Faction Research Items**

energy (Energy production is increased by 50%)

## **Web Links**

- Phoenix Point Discord server
- Official Phoenix Point Wiki

Back to the games database

From:

https://mwohlauer.d-n-s.name/wiki/ - mwohlauer.d-n-s.name / www.mobile-infanterie.de

Permanent link:

https://mwohlauer.d-n-s.name/wiki/doku.php?id=en:games:phoenix\_point&rev=1703429528

Last update: 2023-12-24-14-52

