

# Nexuiz cvars t bis w

cvar	Funktion	Default-Wert			
team	QW team (4 character limit, example: blue)	none			
teampaly	teampaly mode, values depend on mod but typically 0 = no teams, 1 = no team damage no self damage, 2 = team damage and self damage, some mods support 3 = no team damage but can damage self	0			
teampaly_default	default teampaly setting in team games. 1 = no friendly fire, self damage. 2 = friendly fire and self damage enabled. 3 = no friendly fire, but self damage enabled. 4 = obey the following four cvars	4			
teampaly_lockonrestart	it set to 1 in a team-based game, the teams are locked once all players readied up and the game restarted (no new players can join after restart unless using the server-command unlockteams)	0			
temp1	general cvar for mods to use, in stock id1 this selects which death animation to use on players (0 = random death, other values select specific death scenes)	0			
timeformat	time format to use on timestamped console messages	[%Y-%m-%d %H:%M:%S]			
timelimit	ends level at this time (in minutes)	0			
timelimit_decrement	custom cvar	5			
timelimit_increment	custom cvar	5			
timelimit_max	custom cvar	60			
timelimit_min	custom cvar	5			
timelimit_override	Time limit overriding the mapinfo specified one (use 0 to play without limit, and -1 to use the mapinfo's limit)	-1			
timelimit_overtime	duration in minutes of one added overtime, added to the timelimit	2			
timelimit_overtimes	how many overtimes to add at max	0			
timelimit_suddendeadth	number of minutes suddendeadth mode lasts after all overtimes were added and still no winner was found	5			
timestamps	prints timestamps on console messages	0			
userbind1_description	custom cvar	team: quad soon			
userbind1_press	custom cvar	say_team quad soon			
userbind1_release	custom cvar				
userbind10_description	custom cvar	team: roaming, icon			
userbind10_press	custom cvar	say_team roaming (l:%l)	7) (h:%h	7 a:%a	7 w:%w 7); g_waypointsprite_team_here
userbind10_release	custom cvar				
userbind11_description	custom cvar	team: attacking, icon			
userbind11_press	custom cvar	say_team attacking (l:%l)	7) (h:%h	7 a:%a	7 w:%w 7); g_waypointsprite_team_here
userbind11_release	custom cvar				
userbind12_description	custom cvar	team: killed flag, icon			
userbind12_press	custom cvar	say_team killed flagcarrier (l:%y)	7); g_waypointsprite_team_p		
userbind12_release	custom cvar				
userbind13_description	custom cvar	team: dropped flag, icon			
userbind13_press	custom cvar	say_team dropped flag (l:%d)	7); g_waypointsprite_team_here_d		
userbind13_release	custom cvar				
userbind14_description	custom cvar	team: drop gun, icon			
userbind14_press	custom cvar	say_team dropped gun %w	7 (l:%l	7); g_waypointsprite_team_here; wait; dropweapon	
userbind14_release	custom cvar				
userbind15_description	custom cvar	team: drop flag/key, icon			
userbind15_press	custom cvar	say_team dropped flag/key %w	7 (l:%l	7); g_waypointsprite_team_here; wait; +use	
userbind15_release	custom cvar	-use			
userbind16_description	custom cvar	chat: nice one			
userbind16_press	custom cvar	say 😊 / nice one			
userbind16_release	custom cvar				
userbind17_description	custom cvar	chat: good game			
userbind17_press	custom cvar	say good game			
userbind17_release	custom cvar				
userbind18_description	custom cvar	chat: hi / good luck			

cvar	Funktion	Default-Wert			
userbind18_press	custom cvar	say hi / good luck and have fun			
userbind18_release	custom cvar				
userbind19_description	custom cvar	scoreboard / chat history			
userbind19_press	custom cvar	+showscores; +con_chat_maximize			
userbind19_release	custom cvar	-showscores; - con_chat_maximize			
userbind2_description	custom cvar	team: free item, icon			
userbind2_press	custom cvar	say_team free item %x	7 (l:%y	7);	g_waypointsprite_team_here_p
userbind2_release	custom cvar				
userbind20_description	custom cvar	toggle recording .avi			
userbind20_press	custom cvar	toggle cl_capturevideo			
userbind20_release	custom cvar				
userbind21_description	custom cvar	toggle fullscreen			
userbind21_press	custom cvar	toggle vid_fullscreen; vid_restart			
userbind21_release	custom cvar				
userbind22_description	custom cvar				
userbind22_press	custom cvar				
userbind22_release	custom cvar				
userbind23_description	custom cvar				
userbind23_press	custom cvar				
userbind23_release	custom cvar				
userbind24_description	custom cvar				
userbind24_press	custom cvar				
userbind24_release	custom cvar				
userbind25_description	custom cvar				
userbind25_press	custom cvar				
userbind25_release	custom cvar				
userbind26_description	custom cvar				
userbind26_press	custom cvar				
userbind26_release	custom cvar				
userbind27_description	custom cvar				
userbind27_press	custom cvar				
userbind27_release	custom cvar				
userbind28_description	custom cvar				
userbind28_press	custom cvar				
userbind28_release	custom cvar				
userbind29_description	custom cvar				
userbind29_press	custom cvar				
userbind29_release	custom cvar				
userbind3_description	custom cvar	team: took item, icon			
userbind3_press	custom cvar	say_team took item (l:%i	7); g_waypointsprite_team_here		
userbind3_release	custom cvar				
userbind30_description	custom cvar				
userbind30_press	custom cvar				
userbind30_release	custom cvar				
userbind31_description	custom cvar				
userbind31_press	custom cvar				
userbind31_release	custom cvar				
userbind32_description	custom cvar				
userbind32_press	custom cvar				
userbind32_release	custom cvar				
userbind4_description	custom cvar	team: negative			
userbind4_press	custom cvar	say_team negative			
userbind4_release	custom cvar				
userbind5_description	custom cvar	team: positive			
userbind5_press	custom cvar	say_team positive			
userbind5_release	custom cvar				
userbind6_description	custom cvar	team: need help, icon			
userbind6_press	custom cvar	say_team need help (l:%i	7) (h:%h	7 a:%a	7 w:%w 7); g_waypointsprite_team_helpme; cmd voice needhelp
userbind6_release	custom cvar				
userbind7_description	custom cvar	team: enemy seen, icon			
userbind7_press	custom cvar	say_team enemy seen (l:%y	7);		g_waypointsprite_team_danger_p; cmd voice incoming
userbind7_release	custom cvar				
userbind8_description	custom cvar	team: flag seen, icon			
userbind8_press	custom cvar	say_team flag seen (l:%y	7);		g_waypointsprite_team_here_p; cmd voice seenflag
userbind8_release	custom cvar				
userbind9_description	custom cvar	team: defending, icon			
userbind9_press	custom cvar	say_team defending (l:%i	7) (h:%h	7 a:%a	7 w:%w 7); g_waypointsprite_team_here
userbind9_release	custom cvar				
v_brightness	brightness of black, useful for monitors that are too dark	0			
v_centermove	how long before the view begins to center itself (if freelook/+mlook/+jlook/+klook are off)	0.15			

cvar	Funktion	Default-Wert			
v_centerspeed	how fast the view centers itself	500			
v_color_black_b	desired color of black	0			
v_color_black_g	desired color of black	0			
v_color_black_r	desired color of black	0			
v_color_enable	enables black-grey-white color correction curve controls	0			
v_color_grey_b	desired color of grey	0.5			
v_color_grey_g	desired color of grey	0.5			
v_color_grey_r	desired color of grey	0.5			
v_color_white_b	desired color of white	1			
v_color_white_g	desired color of white	1			
v_color_white_r	desired color of white	1			
v_contrast	brightness of white (values above 1 give a brighter image with increased color saturation, unlike v_gamma)	1			
v_contrastboost	by how much to multiply the contrast in dark areas (1 is no change)	1			
v_deathtilt	whether to use sideways view when dead	0			
v_deathtiltangle	what roll angle to use when tilting the view while dead	80			
v_flipped	mirror the screen (poor man's left handed mode)	0			
v_gamma	inverse gamma correction value, a brightness effect that does not affect white or black, and tends to make the image grey and dull	1.125000			
v_glsigamma	enables use of GLSL to apply gamma correction ramps if available (note: overrides v_hwgamma)	0			
v_hwgamma	enables use of hardware gamma correction ramps if available (note: does not work very well on Windows2000 and above), values are 0 = off, 1 = attempt to use hardware gamma, 2 = use hardware gamma whether it works or not	1			
v_idlescale	how much of the quake 'drunken view' effect to use	0			
v_ipitch_cycle	v_idlescale pitch speed	1			
v_ipitch_level	v_idlescale pitch amount	0.3			
v_iroll_cycle	v_idlescale roll speed	0.5			
v_iroll_level	v_idlescale roll amount	0.1			
v_iyaw_cycle	v_idlescale yaw speed	2			
v_iyaw_level	v_idlescale yaw amount	0.3			
v_kickpitch	how much a view kick from damage pitches your view	0.6			
v_kickroll	how much a view kick from damage rolls your view	0.6			
v_kicktime	how long a view kick from damage lasts	0.5			
v_psycho	easter egg (does not work on Windows2000 or above)	0			
vid_bitsperpixel	how many bits per pixel to render at (32 or 16, 32 is recommended)	32			
vid_conheight	virtual height of 2D graphics system	600			
vid_conwidth	virtual width of 2D graphics system	800			
vid_dgamouse	make use of DGA mouse input	0			
vid_fullscreen	use fullscreen (1) or windowed (0)	1			
vid_grabkeyboard	whether to grab the keyboard when mouse is active (prevents use of volume control keys, music player keys, etc on some keyboards)	0			
vid_hardwaregammassupported	indicates whether hardware gamma is supported (updated by attempts to set hardware gamma ramps)	1			
vid_height	resolution	768			
vid_minheight	minimum vid_height that is acceptable (to be set in default.cfg in mods)	0			
vid_minwidth	minimum vid_width that is acceptable (to be set in default.cfg in mods)	0			
vid_mouse	whether to use the mouse in windowed mode (fullscreen always does)	1			
vid_netwmfullscreen	make use _NET_WM_STATE_FULLSCREEN; turn this off if fullscreen does not work for you	0			
vid_pixelheight	adjusts vertical field of vision to account for non-square pixels (1280x1024 on a CRT monitor for example)	1			
vid_refreshrate	refresh rate to use, in hz (higher values flicker less, if supported by your monitor)	60			

cvar	Funktion	Default-Wert			
vid_resizable	0: window not resizable, 1: resizable, 2: window can be resized but the framebuffer isn't adjusted	1			
vid_samples	how many anti-aliasing samples per pixel to request from the graphics driver (4 is recommended, 1 is faster)	1			
vid_stereobuffer	enables 'quad-buffered' stereo rendering for stereo shutterglasses, HMD (head mounted display) devices, or polarized stereo LCDs, if supported by your drivers	0			
vid_stick_mouse	have the mouse stuck in the center of the screen	0			
vid_userefreshrate	set this to 1 to make vid_refreshrate used, or to 0 to let the engine choose a sane default	0			
vid_vsync	sync to vertical blank, prevents 'tearing' (seeing part of one frame and part of another on the screen at the same time), automatically disabled when doing timedemo benchmarks	0			
vid_width	resolution	1024			
vid_x11_display	nexuiz-linux-*.sh will use this to start nexuiz on an other/new X display				
viewsize	how large the view should be, 110 disables inventory bar, 120 disables status bar	100			
volume	volume of sound effects	0.5			
welcome_message_time	custom cvar	8			

## Zurück zur Nexuis cvars Übersicht

From: <https://mwohlauer.d-n-s.name/wiki/> - [mwohlauer.d-n-s.name](https://mwohlauer.d-n-s.name/) / [www.mobile-infanterie.de](http://www.mobile-infanterie.de)

Permanent link: [https://mwohlauer.d-n-s.name/wiki/doku.php?id=games:nexuiz\\_cvars\\_t\\_bis\\_w&rev=1455555352](https://mwohlauer.d-n-s.name/wiki/doku.php?id=games:nexuiz_cvars_t_bis_w&rev=1455555352)

Last update: **2016-02-15-16-55**

